Glufosinate (LibertyLink) and Glyphosate (Roundup Ready/GT) Weed Control Programs for SOA 2- & SOA 9- Resistant Giant Ragweed in Soybean.

Behnken, Lisa M., Fritz R. Breitenbach, Jeffrey L. Gunsolus, and Dillon L. Welter.

The objective of this trial was to evaluate and compare glufosinate (LibertyLink) and glyphosate (Roundup Ready/GT) programs for control of SOA 2- & SOA 9 herbicide resistant giant ragweed in soybeans in southeastern Minnesota. Preemergence (PRE) / Postemergence (POST) and total POST systems were compared for weed control and crop response. The research site was positioned on a Port Byron silt loam soil with a pH of 7.0, O.M 4.1% and soil test P and K levels of 44 and 175 ppm, respectively. The field was fall chisel plowed and spring disked. Fertilizer was broadcast applied on April 23, 2015 at a rate of 38-70-155-12 (N-P-K-S). The field was field cultivated ahead of planting. The previous crop was a weedy fallow. Soybean varieties planted were Stine 19LF62 (LibertyLink), Stine 22LD23 (LibertyLink), Stine 19RF32 (Roundup Ready), and Stine 22RF22 (Roundup Ready). The trial was cone planted on May 22, 2015 at a depth of 1.5 inches in 30 inch rows at a rate of 140,000 seeds per acre. A randomized complete block design was used with four replications. PRE treatments and POST systemic herbicide treatments were applied with TTI11002 spray tips. POST contact herbicide treatments were applied with TTIJ60-11002 spray tips. All applications were applied with a tractor-mounted sprayer delivering 15 gpa at 30 psi. Evaluations of the plots were taken in June on the 8, 17, 25, and 30, in July on the 8, 15, 20, and 27 and on September 28, 2015. The two center rows of each plot were machine harvested on October 19, 2015. Application dates, environmental conditions, and weed stages are in Table 1. Performance ratings for control of giant ragweed, crop response control of common lambsquarters and redroot pigweed are in Tables 2 through 5, respectively. Varieties performed similarly in each system, noting soybean recovery and canopy closure was similar after herbicide applications. (University of Minnesota Extension Regional Office, Rochester. Trial partially funded by the Minnesota Soybean Research & Promotion Council).

SUMMARY

There are challenges associated with achieving acceptable weed control of SOA 2- (ALS inhibitors) and SOA 9- (EPSP synthase inhibitors - glyphosate) resistant giant ragweed in soybean. Previous work has shown that three-pass systems are the most effective and that giant ragweed control levels of greater than 95 percent are achievable. The keys to successful weed control of SOA 2- and SOA 9-resistant giant ragweed are 1) selecting an effective PRE herbicide; and 2) following it with a timely POST application of SOA 10 (glufosinate – Liberty) and/or SOA 14 (PPO-Flexstar, Cobra, etc.) herbicide(s).

Planting a glufosinate (LibertyLink) variety is necessary for utilizing the SOA 10 herbicide system. Glufosinate by itself or in a tank mix has provided good resistant giant ragweed control. If planting a glyphosate (Roundup/GT) variety the inclusion of a SOA 14 herbicide is essential for good resistant ragweed control. Regardless of which herbicide system you choose, weeds need to be treated at the correct stage (2 inches) and proper application practices need to be adhered to when using contact herbicides!

Crop injury will occur when using SOA 14 herbicides and must be accepted by farmers as a condition for satisfactory weed control. However, overuse of SOA 10 and SOA 14 herbicides without a diversified integrated weed management plan will likely result in giant ragweed becoming resistant to both of these SOA's. Waterhemp populations in Minnesota are already becoming resistant to SOA 14 herbicides because of repeated overuse.

In the 2015 study, PRE followed by timely POST systems provided the most durable weed control. This was especially true in SOA 10 systems (LibertyLink) where weed species in addition to giant ragweed needed to be targeted. Relying on total POST systems greatly increases the risk for weed control failures or poor performance. However, weather often limits the application window for PRE herbicides, resulting in the use of a total POST system. Total POST systems that included Prefix (SOA 14) in combination with either glyphosate (Roundup) or glufosinate (Liberty) followed by an additional POST herbicide application, one that is effective on giant ragweed, provided better results than two POST applications of either glufosinate or glyphosate only systems. It is evident that herbicide only management systems to control resistant weed populations are going to be increasingly challenged and non-chemical strategies will need to be implemented.

| Table 1. Application timing, plant stage, environmental conditions. | | | | | | | | | | | |
|---|-------------|--------|---------|----------|---------|--------|--|--|--|--|--|
| Date | 5/23 | 6/9 | 6/24 | 6/25 | 7/3 | 7/10 | | | | | |
| Treatment | PRE | POST I | POST II | POST III | POST IV | POST V | | | | | |
| | (A) | (B) | (C) | (D) | (E) | (F) | | | | | |
| Temperature (F) | | | | | | | | | | | |
| Air | 62 | 69 | 69 | 66 | 57 | 77 | | | | | |
| Soil | 57.2 | 65.3 | 65.3 | 68.7 | | | | | | | |
| Relative Humidity (%) | 51 | 65 | 73 | 88 | 88 | 64 | | | | | |
| Wind (mph) | 0 | 8 | 6 | 8 | 4 | 9 | | | | | |
| Soil Moisture | Normal | Normal | Normal | Normal | Normal | Normal | | | | | |
| Soybean | | | | | | | | | | | |
| Stage | | VC | V3 | V4 | V5 | R1 | | | | | |
| | | | | | | Flower | | | | | |
| Height (inch) | | 2.5 | 7 | 8 | 9 | 19 | | | | | |
| Giant Ragweed | | | | | | | | | | | |
| Weed Density (ft ²) | | 15.3 | | | | 5.8 | | | | | |
| Height (inch) | | 2.3 | 4.4 | 2.8 | 4.6 | | | | | | |
| Common Lambsquarter | • | | | | | | | | | | |
| Weed Density (ft ²) | | 34.3 | | | | | | | | | |
| Height (inch) | | 1.1 | 1.8 | 2.5 | | | | | | | |
| Common Waterhemp | | | | | | | | | | | |
| Weed Density (ft ²) | | 14 | | | | | | | | | |
| Height (inch) | | 0.9 | 2.1 | 1.9 | | | | | | | |
| Grass | | | | | | | | | | | |
| Weed Density (ft ²) | | 43 | | | | | | | | | |
| Height (inch) | | 1.6 | 3.4 | 2.6 | | | | | | | |
| Rainfall after each appl | ication (in | ch) | | | | | | | | | |
| Week 1 | 1.47 | 1.69 | 1.63 | 1.63 | 0.69 | 0.30 | | | | | |
| Week 2 | 1.32 | 0.78 | 0.69 | 0.69 | 0.30 | 1.64 | | | | | |
| Week 3 | 2.82 | 1.63 | 0.30 | 0.30 | 1.64 | 1.61 | | | | | |

| | le 2A. SOA-2 and SOA-9 re | esistar | nt giant ı | ragweed cont | rol in | glufos | inate | and gl | yphos | sate sy | | | | at Roc | hester | <mark>, MN ir</mark> | <mark>1 2015.</mark> |
|--------------------|-------------------------------|------------|------------------|-------------------|--------|--------|-------|--------|-------|---------|-------|-------|---------|--------|--------|----------------------|----------------------|
| | t Code | | | | | 1 | 0.45 | 1 | 17.45 | lum (| | ragwe | | lad 6 | 7.45 | Com | 20.45 |
| | ng Date Treatment | Ra | ite Gro | wth Appl | | Jun- | ·8-15 | Jun-1 | 17-15 | | | Jul-1 | | Jul- | 27-15 | Sep | -28-15 |
| | ufosinate systems | IXE | ite Gio | wiii дррі | | | | | | 1 (| rcent | COILL | JI (70) | | | | |
| _ | STINE 19LF62 | | | | | 90 | а | 85 | bc | 98 | а | 98 | ab | 99 | а | 99 | а |
| ' | VERDICT | 5 | fl oz/a | PREPRE | Α | 00 | u | | | 00 | u | | ub | | u | 00 | u |
| | ZIDUA | 2 | oz/a | PREPRE | Α | | | | | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | MIDPOWE | С | | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | MIDPOWE | C | | | | | | | | | | | | |
| | LIBERTY 280 N-PAK AMS | 29 2.5 | fl oz/a % v/v | LAPOWE LAPOWE | F F | | | | | | | | | | | | |
| 2 | STINE 22LD23 | 2.0 | 70 V/V | LAI OWL | ' | 90 | а | 84 | С | 98 | а | 98 | ab | 99 | а | 99 | ab |
| - | VERDICT | 5 | fl oz/a | PREPRE | Α | | _ | | • | | _ | | | | - | | |
| | ZIDUA | 2 | oz/a | PREPRE | Α | | | | | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | MIDPOWE | C | | | | | | | | | | | | |
| | N-PAK AMS LIBERTY 280 | 2.5 | % v/v fl oz/a | MIDPOWE LAPOWE | C F | | | | | | | | | | | | |
| | N-PAK AMS | 29 2.5 | % v/v | LAPOWE | F | | | | | | | | | | | | |
| 3 | STINE 19LF62 | | 70 171 | 2, 0112 | • | 0 | С | 97 | а | 99 | а | 98 | ab | 96 | ab | 96 | abc |
| | PREFIX | 2 | pt/a | EAPOWE | В | | • | - | _ | | _ | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | EAPOWE | В | | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | EAPOWE | В | | | | | | | | | | | | |
| | LIBERTY 280 N-PAK AMS | 29 2.5 | fl oz/a % v/v | LAPOWE LAPOWE | D D | | | | | | | | | | | | |
| 4 | STINE 22LD23 | ۷.ن | /U V/V | LVI.OME | U | 0 | С | 94 | а | 99 | а | 97 | ab | 95 | ab | 95 | abc |
| 7 | PREFIX | 2 | pt/a | EAPOWE | В | | J | J-7 | u | 33 | u | " | ab | 33 | ab | 33 | abc |
| | LIBERTY 280 | 29 | fl oz/a | EAPOWE | В | | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | EAPOWE | В | | | | | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | LAPOWE | D | | | | | | | | | | | | |
| - | N-PAK AMS STINE 22LD23 | 2.5 | % v/v | LAPOWE | D | 0 | С | 97 | а | 99 | а | 97 | ab | 95 | ab | 95 | bc |
| 3 | LIBERTY 280 | 29 | fl oz/a | EAPOWE | В | U | C | 31 | а | 99 | а | 91 | au | 93 | au | 93 | DC |
| | N-PAK AMS | 2.5 | % v/v | EAPOWE | В | | | | | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | LAPOWE | D | | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | D | | | | | | | | | | | | |
| $GI_{\mathcal{I}}$ | /phosate systems | | | | | | | | | | | | | | | | |
| 6 | STINE 19RF32 | | | | | 89 | ab | 88 | b | 95 | b | 94 | b | 92 | b | 92 | С |
| | VERDICT | 5 | fl oz/a | PREPRE | Α | | | | | | | | | | | | |
| | ZIDUA COBRA | 2 12 | oz/a fl oz/a | PREPRE MIDPOWE | A C | | | | | | | | | | | | |
| | ROUNDUP POWERMAX | 32 | fl oz/a | MIDPOWE | C | | | | | | | | | | | | |
| | COC | 1 | pt/a | MIDPOWE | Č | | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | MIDPOWE | С | | | | | | | | | | | | |
| 7 | STINE 20RD00 | | | | | 88 | b | 84 | С | 96 | b | 88 | С | 86 | С | 86 | d |
| | VERDICT | 5 | fl oz/a | PREPRE | A | | | | | | | | | | | | |
| | ZIDUA COBRA | 2 12 | oz/a fl.oz/a | PREPRE MIDPOWE | A C | | | | | | | | | | | | |
| | ROUNDUP POWERMAX | 32 | fl oz/a | MIDPOWE | Č | | | | | | | | | | | | |
| | COC | 1 | pt/a | MIDPOWE | Č | | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | MIDPOWE | С | | | _ | | | | | | | | | |
| 8 | STINE 19RF32 | _ | | E 4 5 01 : : = | _ | 0 | С | 96 | а | 87 | С | 98 | а | 97 | а | 97 | ab |
| | PREFIX ROUNDUP POWERMAX | 2 | pt/a | EAPOWE EAPOWE | B B | | | | | | | | | | | | |
| | NIS | 32 0.25 | fl oz/a % v/v | EAPOWE | В | | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | EAPOWE | В | | | | | | | | | | | | |
| | COBRA | 12 | fl oz/a | LAPOWE | E | | | | | | | | | | | | |
| | ROUNDUP POWERMAX | 32 | fl oz/a | LAPOWE | E | | | | | | | | | | | | |
| | COC N-PAK AMS | 1 2.5 | pt/a % v/v | LAPOWE LAPOWE | E E | | | | | | | | | | | | |
| 9 | STINE 20RD00 | ۷.5 | /U V/V | LAI OVIL | | 0 | С | 96 | а | 83 | d | 99 | а | 98 | а | 98 | ab |
| ľ | PREFIX | 2 | pt/a | EAPOWE | В | | • | 30 | 4 | | 4 | | u | | u | 33 | un. |
| | ROUNDUP POWERMAX | 32 | fl oz/a | EAPOWE | В | | | | | | | | | | | | |
| | NIS N. Bak and | 0.25 | % v/v | EAPOWE | В | | | | | | | | | | | | |
| | N-PAK AMS COBRA | 2.5 12 | % v/v fl oz/a | EAPOWE LAPOWE | B E | | | | | | | | | | | | |
| | ROUNDUP POWERMAX | 32 | fl oz/a | LAPOWE | E | | | | | | | | | | | | |
| | COC | 1 | pt/a | LAPOWE | Ē | | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | Е | | | | | | | | | | | | |
| 10 | STINE 20RD00 | _ | | | _ | 0 | С | 55 | d | 58 | е | 36 | d | 34 | d | | |
| | ROUNDUP POWERMAX | 32 | fl oz/a | EAPOWE | В | | | | | | | | | | | | |
| | N-PAK AMS ROUNDUP POWERMAX | 2.5 32 | % v/v fl oz/a | EAPOWE LAPOWE | B D | | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | D | | | | | | | | | | | | |
| | | | | | | 1. | ^ | 2. | _ | 1. | _ | | .4 | 4 | | | 3.8 |

| Starting Date Jun-8-15 Jun-17-15 Jun-29-15 Jun-29-15 Jun-9-15 Jun-18-15 Ju | | le 3. Soybean response | to herbio | cides us | ed to control | SO | | | | | | | | | | | | _ |
|--|-----|------------------------|-----------|----------|---------------|----|------|------|-------|----|-----|---|----|-------|-------|------|--------|------------|
| Name | | • | | | | | Jun- | 3-15 | Jun-1 | | | | | | Jui-8 | 5-15 | Jui-15 |)-15 |
| STINE 1916 2 | | | Rate Un | it Stag | e Code | | | | | | | | | jui y | | | | |
| STINE SUPPRIED STINE STINE STINE STINE STINE SUPPRIED STINE STINE SUPPRIED STINE STINE SUPPRIED SUPPR | | | | | | | | | | | | | | | | | | |
| ZIDUA | | | | | | | 5 | а | 0 | С | 14 | е | 16 | cd | 10 | С | 10 | b |
| LIBERTY 280 | | VERDICT | 5 | fl oz/a | | Α | | | | | | | | | | | | |
| N-PAK AMS | | | | | | | | | | | | | | | | | | |
| LIBERTY 280 | | | | | | - | | | | | | | | | | | | |
| N-PAK AMS | | | | | | - | | | | | | | | | | | | |
| 2 STINE 22LD23 | | | | | | - | | | | | | | | | | | | |
| ZIDUA | 2 | | | ,,,,,, | | - | 5 | а | 0 | С | 15 | е | 19 | С | 0 | d | 5 | С |
| LIBERTY 280 29 flozia LAPOWE F | | VERDICT | 5 | fl oz/a | | Α | | | | | | | | | | | | |
| N-PAK AMS | | | | | | | | | | | | | | | | | | |
| LIBERTY 280 | | | | | | | | | | | | | | | | | | |
| N-PAK AMS | | | | | _ | - | | | | | | | | | | | | |
| 3 STINE 19LF62 PREFIX | | | | | | | | | | | | | | | | | | |
| PREFIX 2 | 3 | | | 70 171 | | • | 0 | b | 60 | а | 33 | С | 20 | С | 10 | С | 0 | d |
| N-PAK AMS | | PREFIX | 2 | pt/a | EAPOWE | В | | | | | | | | | | | | |
| LIBERTY 280 | | LIBERTY 280 | 29 | | | | | | | | | | | | | | | |
| N-PAK AMS | | | | | | | | | | | | | | | | | | |
| 4 STINE 22LD23 PREFIX | | | | | | | | | | | | | | | | | | |
| PREFIX | 1 | | 2.5 | 70 V/V | LAPUVE | ט | n | h | 50 | 2 | 26 | Ч | 20 | h | 10 | • | n | ч |
| LIBERTY 280 | 4 | | 2 | pt/a | EAPOWE | В | U | IJ | JJ | а | 20 | u | 23 | D | 10 | C | J | u |
| N-PAK AMS | | | | | _ | | | | | | | | | | | | | |
| N-PAK AMS | | N-PAK AMS | | | | В | | | | | | | | | | | | |
| 5 STINE 22LD23 LIBERTY 280 | | | | | | | | | | | | | | | | | | |
| LIBERTY 280 | | | 2.5 | % v/v | LAPOWE | D | | | | | _ | | | | _ | | | |
| N-PAK AMS | 5 | | 00 | 0/- | E A DOVA/E |) | 0 | b | 13 | b | 0 | f | 18 | С | 0 | d | 0 | d |
| Code | | | | | | | | | | | | | | | | | | |
| N-PAK AMS | | | _ | | | | | | | | | | | | | | | |
| 6 STINE 19RF32 VERDICT 5 | | | | | | | | | | | | | | | | | | |
| 6 STINE 19RF32 VERDICT | G/\ | | | | | | | | | | | | | | | | | |
| ZIDUA | _ | | | | | | 5 | а | 0 | С | 65 | а | 63 | а | 43 | b | 5 | С |
| Cobra 12 fl oz/a MIDPOWE C N-PAK AMS 2.5 % v/v MIDPOWE D N-PAK AMS 2.5 % v/v MIDPOWE N-PAK AMS 2.5 % v/v MIDPO | | VERDICT | 5 | fl oz/a | PREPRE | Α | | | | | | | | | | | | |
| ROUNDUP POWERMAX 32 | | | | | | | | | | | | | | | | | | |
| COC N-PAK AMS 2.5 % v/v MIDPOWE C N-PAK AMS 2.5 % v/v MIDPOWE E N-PAK AMS 2.5 % v/v MIDPOWE D N- | | | | | | - | | | | | | | | | | | | |
| N-PAK AMS | | | | | _ | - | | | | | | | | | | | | |
| 7 STINE 20RD00 VERDICT | | | | • | | - | | | | | | | | | | | | |
| VERDICT 5 | 7 | | | 70 171 | 2. 0112 | · | 5 | а | 0 | С | 65 | а | 65 | а | 46 | b | 13 | b |
| Cobra | | | 5 | fl oz/a | PREPRE | Α | | | | | | | | | | | | |
| ROUNDUP POWERMAX 32 fl oz/a MIDPOWE C N-PAK AMS 2.5 % v/v MIDPOWE C N-PAK AMS 2.5 % v/v EAPOWE B ROUNDUP POWERMAX 32 fl oz/a LAPOWE E LAPOWE E LAPOWE B N-PAK AMS 2.5 % v/v LAPOWE E LAPOWE B ROUNDUP POWERMAX 32 fl oz/a LAPOWE E LAPOWE B LAP | | | | | | | | | | | | | | | | | | |
| COC N-PAK AMS 2.5 % v/v MIDPOWE C MIDPOWE MAX AMS 2.5 % v/v APOWE B APOWE B N-PAK AMS 2.5 % v/v LAPOWE E LAPOWE B LAPOWE E LAPOWE E LAPOWE E LAPOWE E LAPOWE D MIDPOWERMAX 32 fl oz/a LAPOWE E LAPOWE B N-PAK AMS 2.5 % v/v LAPOWE E LAPOWE B MIDPOWERMAX AMS AND MAKE COC 1 1 pt/a LAPOWE B APOWE B LAPOWE B N-PAK AMS 2.5 % v/v LAPOWE B LAPOWE B N-PAK AMS 2.5 % v/v LAPOWE B LAPOWE B N-PAK AMS 2.5 % v/v LAPOWE E LAPOWE B N-PAK AMS 2.5 % v/v LAPOWE E LAPOWE B N-PAK AMS 2.5 % v/v LAPOWE E LAPOWE B N-PAK AMS 2.5 % v/v LAPOWE E LAPOWE B N-PAK AMS 2.5 % v/v LAPOWE E LAPOWE B N-PAK AMS 2.5 % v/v LAPOWE E LAPOWE B LAPOWE E LAPOWE B LAPOWE D LAP | | | | | _ | - | | | | | | | | | | | | |
| N-PAK AMS | | | - | | _ | - | | | | | | | | | | | | |
| S STINE 19RF32 | | | | | | | | | | | | | | | | | | |
| PREFIX | 8 | | | | | _ | 0 | b | 60 | а | 38 | С | 11 | d | 85 | а | 36 | а |
| NIS | | | 2 | pt/a | EAPOWE | В | - | | | | | - | - | | | | | |
| N-PAK AMS | | | _ | | | | | | | | | | | | | | | |
| Cobra 12 floz/a LAPOWE E ROUNDUP POWERMAX 32 floz/a LAPOWE E COC 1 pt/a LAPOWE E LAPOWE E COC 1 pt/a LAPOWE E LAPOWE LAPOWE E LAPOWE | | - | | | | | | | | | | | | | | | | |
| ROUNDUP POWERMAX 32 fl oz/a LAPOWE E | | | | | | | | | | | | | | | | | | |
| COC | | | | | _ | | | | | | | | | | | | | |
| N-PAK AMS 2.5 % v/v | | | | | - | | | | | | | | | | | | | |
| PREFIX 2 pt/a EAPOWE B ROUNDUP POWERMAX 32 fl oz/a EAPOWE B NIS 0.25 % v/v EAPOWE B N-PAK AMS 2.5 % v/v EAPOWE B Cobra 12 fl oz/a LAPOWE E ROUNDUP POWERMAX 32 fl oz/a LAPOWE E N-PAK AMS 2.5 % v/v LAPOWE E N-PAK AMS 32 fl oz/a EAPOWE B N-PAK AMS 32 fl oz/a LAPOWE B ROUNDUP POWERMAX 32 fl oz/a LAPOWE D N-PAK AMS 2.5 % v/v LAPOWE D N-PAK AMS 2.5 % v/v LAPOWE D N-PAK AMS 32 fl oz/a LAPOWE D N-PAK | | | 2.5 | | LAPOWE | Е | | | | | | | | | | | | |
| ROUNDUP POWERMAX 32 fl oz/a EAPOWE B NIS | 9 | | _ | _ | | | 0 | b | 59 | а | 45 | b | 18 | С | 85 | а | 39 | а |
| NIS | | | | | | | | | | | | | | | | | | |
| N-PAK AMS Cobra 12 fl oz/a LAPOWE E ROUNDUP POWERMAX 32 fl oz/a LAPOWE E N-PAK AMS 2.5 % v/v LAPOWE E N-PAK AMS 32 fl oz/a EAPOWE B N-PAK AMS 32 fl oz/a EAPOWE B N-PAK AMS 32 fl oz/a EAPOWE B N-PAK AMS 32 fl oz/a LAPOWE B ROUNDUP POWERMAX 32 fl oz/a LAPOWE D N-PAK AMS 2.5 % v/v LAPOWE D N-PAK AMS 2.5 % v/v LAPOWE D N-PAK AMS 32 fl oz/a LAPOWE D | | | _ | | | | | | | | | | | | | | | |
| Cobra | | - | | | | | | | | | | | | | | | | |
| ROUNDUP POWERMAX 32 fl oz/a LAPOWE E COC 1 pt/a LAPOWE E N-PAK AMS 2.5 % v/v LAPOWE E 10 STINE 20RD00 | | | | | | | | | | | | | | | | | | |
| N-PAK AMS 2.5 % v/v LAPOWE E 10 STINE 20RD00 ROUNDUP POWERMAX 32 fl oz/a EAPOWE B ROUNDUP POWERMAX 32 fl oz/a LAPOWE D N-PAK AMS 2.5 % v/v LAPOWE D N-PAK AMS 2.5 % v/v LAPOWE D N-PAK AMS 32 fl oz/a LAPOWE D N-PAK AMS 32 fl oz/a LAPOWE D N-PAK AMS 35 fl oz/a LAPOWE D N-PAK AMS 37 F4 F7 F0 A7 | | | | | | | | | | | | | | | | | | |
| 10 STINE 20RD00 ROUNDUP POWERMAX 32 fl oz/a EAPOWE B N-PAK AMS 2.5 % v/v EAPOWE B ROUNDUP POWERMAX 32 fl oz/a LAPOWE D N-PAK AMS 2.5 % v/v LAPOWE D 2.5 % v/v LAPOWE D | | | | | | | | | | | | | | | | | | |
| ROUNDUP POWERMAX 32 fl oz/a EAPOWE B N-PAK AMS 2.5 % v/v EAPOWE B ROUNDUP POWERMAX 32 fl oz/a LAPOWE D N-PAK AMS 2.5 % v/v LAPOWE D | 4.0 | | 2.5 | % v/v | LAPOWE | É | _ | 1- | 44 | 1- | _ | | 44 | el . | _ | el . | | el . |
| N-PAK AMS 2.5 % v/v EAPOWE B ROUNDUP POWERMAX 32 fl oz/a LAPOWE D N-PAK AMS 2.5 % v/v LAPOWE D | 10 | | ′ ၁၁ | fl 07/0 | EADOWE | D | U | а | 11 | а | U | Ť | 11 | a | U | a | U | a |
| ROUNDUP POWERMAX 32 fl oz/a LAPOWE D N-PAK AMS 2.5 % v/v LAPOWE D | | | | | | | | | | | | | | | | | | |
| N-PAK AMS 2.5 % v/v LAPOWE D | | _ | | | | _ | | | | | | | | | | | | |
| _SD P=.10 . 3.7 5.1 5.7 5.0 4.7 | L | N-PAK AMS | | | | D | | | | | | | | | | | | |
| | LSE | P=.10 | | | | | | | 3.7 | 7 | 5.1 | | 5. | 7 | 5.0 | 0 | 4.7 | ' <u> </u> |

Table 4. Common lambsquarters control in a SOA-2 & SOA-9 resistant giant ragweed soybean site in Rochester, MN in 2015.

| | st Code | <u></u> | <u></u> | | Common lambsquarters | | | | | | | | |
|----|---|------------------|------------------|--------------------|----------------------|---------|-----|--------|----------|------------|---|---------|----------|
| | ing Date | | | | | Jun-8-2 | 015 | Jun-17 | | Jun-30 | | Sep-28- | -2015 |
| | | Rate Unit | Stage | Code | | | | P | ercent c | ontrol (%) | | | |
| | ufosinate Sysyems | | | | | | | | | | | | <u> </u> |
| 1 | STINE 19LF62 | - | 0/- | DDEDDE | ^ | 99 | а | 99 | ab | 99 | а | 98 | ab |
| | VERDICT ZIDUA | 5 2 | fl oz/a oz/a | PREPRE PREPRE | A A | | | | | | | | |
| | LIBERTY 280 | | fl oz/a | MIDPOWE | C | | | | | | | | |
| | N-PAK AMS | | % v/v | MIDPOWE | č | | | | | | | | |
| | LIBERTY 280 | | fl oz/a | LAPOWE | F | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | F | | | | | | | | |
| 2 | STINE 22LD23 | | | | | 99 | а | 99 | а | 99 | а | 99 | а |
| | VERDICT | | fl oz/a | PREPRE | Α | | | | | | | | |
| | ZIDUA | 2 | oz/a | PREPRE | A | | | | | | | | |
| | LIBERTY 280 N-PAK AMS | | fl oz/a % v/v | MIDPOWE MIDPOWE | C | | | | | | | | |
| | LIBERTY 280 | | fl oz/a | LAPOWE | F | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | F | | | | | | | | |
| 3 | STINE 19LF62 | 2.0 | 70 171 | D O | | 0 | b | 95 | bc | 99 | а | 93 | ef |
| | PREFIX | 2 | pt/a | EAPOWE | В | | - | | | | _ | | ٠. |
| | LIBERTY 280 | | fl oz/a | EAPOWE | В | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | EAPOWE | В | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | LAPOWE | D | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | D | | _ | | | | | | |
| 4 | STINE 22LD23 | _ | | | _ | 0 | b | 89 | d | 99 | а | 93 | def |
| | PREFIX | 2 | pt/a | EAPOWE | В | | | | | | | | |
| | LIBERTY 280 | - | fl oz/a | EAPOWE | В | | | | | | | | |
| | N-PAK AMS LIBERTY 280 | 2.5 29 | % v/v fl oz/a | EAPOWE LAPOWE | B D | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | D | | | | | | | | |
| 5 | STINE 22LD23 | 2.0 | 70 V/V | LAIOWL | | 0 | b | 43 | е | 95 | b | 91 | f |
| " | LIBERTY 280 | 29 | fl oz/a | EAPOWE | В | | ~ | -10 | · | | | 0. | • |
| | N-PAK AMS | 2.5 | % v/v | EAPOWE | В | | | | | | | | |
| | LIBERTY 280 | | fl oz/a | LAPOWE | D | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | D | | | | | | | | |
| | yphosate systems | | | | | | | | | | | | |
| 6 | STINE 19RF32 | | | | | 99 | а | 99 | а | 99 | а | 96 | bc |
| | VERDICT | 5 | fl oz/a | PREPRE | Α | | | | | | | | |
| | ZIDUA | 2 | oz/a | PREPRE | Α | | | | | | | | |
| | Cobra | 12 | fl oz/a | MIDPOWE | С | | | | | | | | |
| | ROUNDUP POWERMAX | | fl oz/a | MIDPOWE | C | | | | | | | | |
| | COC N-PAK AMS | 1 2.5 | pt/a % v/v | MIDPOWE MIDPOWE | C | | | | | | | | |
| 7 | STINE 20RD00 | 2.5 | /0 V/V | MIDFOVL | C | 99 | а | 99 | ab | 99 | а | 95 | cde |
| ' | VERDICT | 5 | fl oz/a | PREPRE | Α | 33 | a | 33 | ab | 33 | а | 33 | cue |
| | ZIDUA | 2 | oz/a | PREPRE | A | | | | | | | | |
| | Cobra | 12 | | MIDPOWE | C | | | | | | | | |
| | ROUNDUP POWERMAX | | fl oz/a | MIDPOWE | C | | | | | | | | |
| | COC | 1 | pt/a | MIDPOWE | С | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | MIDPOWE | С | | | | | | | | |
| 8 | STINE 19RF32 | | | | _ | 0 | b | 99 | ab | 87 | С | 95 | cd |
| | PREFIX | 2 | pt/a | EAPOWE | В | | | | | | | | |
| | ROUNDUP POWERMAX | | fl oz/a | EAPOWE | В | | | | | | | | |
| | NIS N DAK AMS | 0.25 | | EAPOWE EAPOWE | В | | | | | | | | |
| | N-PAK AMS Cobra | 2.5 12 | % v/v fl oz/a | LAPOWE | B E | | | | | | | | |
| | ROUNDUP POWERMAX | | fl oz/a | LAPOWE | Ē | | | | | | | | |
| | COC | 1 | pt/a | LAPOWE | Ē | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | Ē | | | | | | | | |
| 9 | STINE 20RD00 | | | | | 0 | b | 99 | ab | 89 | С | 96 | abc |
| | PREFIX | 2 | pt/a | EAPOWE | В | | | | | | | | |
| | ROUNDUP POWERMAX | | fl oz/a | EAPOWE | В | | | | | | | | |
| | NIS | 0.25 | | EAPOWE | В | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | EAPOWE | В | | | | | | | | |
| | Cobra ROUNDUP POWERMAX | 12 | fl oz/a | LAPOWE | E | | | | | | | | |
| | RUINIJIP POWERMAX | 32 1 | fl oz/a | LAPOWE | E | | | | | | | | |
| | | | pt/a | LAPOWE LAPOWE | E | | | | | | | | |
| | COC | | % \/\/ | | | | | | | | | | |
| 10 | COC N-PAK AMS | 2.5 | % v/v | LAPOWE | | n | b | 92 | cd | 95 | h | | |
| 10 | COC N-PAK AMS STINE 20RD00 | 2.5 | | | | 0 | b | 92 | cd | 95 | b | | |
| 10 | COC N-PAK AMS | 2.5 32 | fl oz/a | EAPOWE EAPOWE | B B | 0 | b | 92 | cd | 95 | b | | |
| 10 | COC N-PAK AMS STINE 20RD00 ROUNDUP POWERMAX | 2.5 32 2.5 | | EAPOWE | В | 0 | b | 92 | cd | 95 | b | | |
| | COC N-PAK AMS STINE 20RD00 ROUNDUP POWERMAX N-PAK AMS | 2.5 32 2.5 | fl oz/a % v/v | EAPOWE EAPOWE | B B | 0 | b | 92 | | 95 | b | 2.7 | |

Table 5. Redroot pigweed control in a SOA-2 & SOA-9 resistant giant ragweed soybean site in Rochester, MN in 2015.

| | t Code | ode Common waterhemp | | | | | | | | | | | |
|-----|--------------------------|----------------------|------------------|------------------|--------|-------|-----|--------|--------|-------------|----|--------|-----|
| | ng Date | | | | | Jun-8 | -15 | Jun-17 | | Jun-30 | | Sep-28 | -15 |
| | Name | Rat | e Unit | Stage | Code | | | Pe | ercent | control (%) | | | |
| | ıfosinate systems | | | | | | | | | | | | |
| 1 | STINE 19LF62 | | | | | 99 | а | 99 | а | 99 | а | 99 | а |
| | VERDICT | 5 | fl oz/a | PREPRE | Α | | | | | | | | |
| | ZIDUA | 2 | oz/a | PREPRE | Α | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | MIDPOWE | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | MIDPOWE | C F | | | | | | | | |
| | LIBERTY 280 N-PAK AMS | 29 2.5 | fl oz/a % v/v | LAPOWE LAPOWE | F | | | | | | | | |
| 2 | STINE 22LD23 | 2.5 | /0 V/V | LAFOVL | | 99 | а | 99 | а | 99 | а | 99 | а |
| | VERDICT | 5 | fl oz/a | PREPRE | Α | 33 | а | 99 | а | 99 | а | 99 | а |
| | ZIDUA | 2 | oz/a | PREPRE | Ä | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | MIDPOWE | | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | MIDPOWE | | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | LAPOWE | F | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | F | | | | | | | | |
| 3 | STINE 19LF62 | | | | | 0 | b | 96 | ab | 99 | а | 97 | а |
| | PREFIX | 2 | pt/a | EAPOWE | В | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | EAPOWE | В | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | EAPOWE | В | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | LAPOWE | D | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | LAPOWE | D | | _ | | | | | | |
| 4 | STINE 22LD23 | | | | | 0 | b | 90 | С | 99 | а | 97 | а |
| | PREFIX | 2 | pt/a | EAPOWE | В | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | EAPOWE | В | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | EAPOWE | В | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | LAPOWE | D | | | | | | | | |
| _ | N-PAK AMS | 2.5 | % v/v | LAPOWE | D | | | 40 | | | | | |
| 5 | STINE 22LD23 | | | | _ | 0 | b | 43 | d | 97 | ab | 92 | b |
| | LIBERTY 280 | 29 | fl oz/a | EAPOWE | В | | | | | | | | |
| | N-PAK AMS | 2.5 | % v/v | EAPOWE | В | | | | | | | | |
| | LIBERTY 280 | 29 | fl oz/a | LAPOWE | D | | | | | | | | |
| C/ | N-PAK AMS | 2.5 | % v/v | LAPOWE | D | | | | | | | | |
| _ | /phosate systems | | | | | 00 | _ | | _ | | _ | 20 | |
| 6 | STINE 19RF32 | _ | | DDEDDE | | 99 | а | 99 | а | 99 | а | 99 | а |
| | VERDICT | 5 | | | | | | | | | | | |
| | ZIDUA | 2 | | | | | | | | | | | |
| | Cobra ROUNDUP POWERMAX | 12 | | | | | | | | | | | |
| | COC | 32 1 | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | | | _ | | | | | | | | |
| 7 | STINE 20RD00 | ۷.۱ | , /0 V/ | V IVIIDI-OVV | | 99 | а | 99 | а | 99 | а | 99 | а |
| ' | VERDICT | 5 | fl oz/ | a PREPRE | . A | 33 | a | 33 | а | 33 | a | 33 | а |
| | ZIDUA | 2 | | | | | | | | | | | |
| | Cobra | 12 | | a MIDPOW | | | | | | | | | |
| | ROUNDUP POWERMAX | 32 | | a MIDPOW | | | | | | | | | |
| | COC | 1 | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | | v MIDPOW | | | | | | | | | |
| 8 | STINE 19RF32 | | | | | 0 | b | 99 | а | 91 | С | 99 | а |
| | PREFIX | 2 | pt/a | EAPOWE | В | | | | | | | | |
| | ROUNDUP POWERMAX | 32 | • | | В | | | | | | | | |
| | NIS | 0.2 | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | | | | | | | | | | | |
| | Cobra | 12 | | | | | | | | | | | |
| | ROUNDUP POWERMAX | 32 | | | | | | | | | | | |
| | COC | 1 | | | | | | | | | | | |
| _ | N-PAK AMS | 2.5 | 5 % v/ | v LAPOWE | E E | _ | | | | | | | |
| 9 | STINE 20RD00 | _ | | E 4 B 6 1 1 1 | | 0 | b | 99 | а | 90 | С | 99 | а |
| | PREFIX | 2 | | | | | | | | | | | |
| | ROUNDUP POWERMAX | 32 | | | | | | | | | | | |
| | NIS N DAK AMS | 0.2 | | | | | | | | | | | |
| | N-PAK AMS Cobra | 2.5 12 | | | | | | | | | | | |
| | ROUNDUP POWERMAX | 32 | | | | | | | | | | | |
| | COC | 32 1 | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | • | | | | | | | | | | |
| 10 | STINE 20RD00 | ۷.٠ | , /0 V/ | · LAI OVVL | | 0 | b | 92 | bc | 96 | b | | |
| 10 | ROUNDUP POWERMAX | 32 | fl oz/ | a EAPOWE | Е В | | 5 | 32 | DC | 30 | | | |
| | N-PAK AMS | 2.5 | | | | | | | | | | | |
| | ROUNDUP POWERMAX | 32 | | | | | | | | | | | |
| | N-PAK AMS | 2.5 | | | | | | | | | | | |
| LSE |) P=.10 | | ,,,,,, | | | | | 4 | | 2 | | 2 | |
| | | | | | | | | | | | | | |