## Annual weed control with Realm Q tank mixed with Abundit, Ignite, or atrazine in corn at Lamberton, MN in 2010.

Getting, Jodie K.

The objective of this study was to evaluate tank-mix combinations with Resolve and Callisto for annual grass and annual broadleaf weed control in corn. This study was conducted on a Normania loam soil containing 3.8% organic matter, pH 6.1 and soil test P and K levels of 64 and 296 lb/A, respectively. A randomized complete block design with four replications and a plot size of 10 by 30 ft was used. The site was planted to soybeans in 2009 and was fall chiseled. The area was fertilized with 135 lbs nitrogen as anhydrous ammonia. On May 5, 2010, Dekalb 'DK 53-78' glufosinate resistant/glyphosate resistant field corn was planted in 30-inch rows at a seeding rate of 33,000 seeds/A. All treatments were applied with a tractor-mounted sprayer delivering 20 gpa at a pressure of 40 psi. The sprayer was equipped with 8002 flat-fan nozzles spaced 15 inches apart on the boom. Application dates, environmental conditions, plant sizes and rainfall data are listed below:

Date	May 6	June 2						
Treatment	PRE	POST						
Temperature (F)								
air	41	73						
soil (4 inch)	46	70						
Relative humidity (%)	66	31						
Wind (mph)	N 7	N 10						
Sky	cloudy	clear						
Soil moisture	dry	dry						
Corn								
leaf no.	-	V3						
height (inch)	-	7						
Yellow foxtail								
leaf no.	-	2 to 4						
height (inch)	-	2 to 4						
no./ft <sup>2</sup>	-	11						
Common lambsquarters								
leaf no.	-	3 to 5						
height (inch)	-	1 to 3						
no./ft <sup>2</sup>	-	2						
Tall waterhemp								
leaf no.	-	2 to 4						
height (inch)	-	1 to 4						
no./ft²	-	3						
Wild buckwheat								
leaf no.	-	1 to 2						
height (inch)	-	1 to 2						
no./ft <sup>2</sup>	-	1						
Rainfall after application (inch)								
1 week	1.63	0.75						
2 week	0.16	2.55						
3 week	0.20	1.45						

(Southwest Research and Outreach Center, University of Minnesota, Lamberton).

Table. Annual weed control with Realm Q tank mixed with Abundit, Ignite, or atrazine in corn at Lamberton, MN in 2010 (Getting).

		Yellow foxtail			Common lambsquarters			Tall waterhemp				Wild buckwheat						
Treatment <sup>a</sup>	Rate		Jun 1	4 Jun 22	Aug 17	Jun 2	2 Jun 14	1 Jun 22	2 Aug 17	Jun 2	2 Jun 1	4 Jun 22	Aug 17	Jun :	2 Jun 14	Jun 22	Aug 17	_ Yield <sup>□</sup>
	(oz/A, pt/A, qt/A, lb/A or %	6)							(% c	ontrol) -								(bu/A)
PRE/POST (3-collar co	orn)																	
Cinch ATZ / Realm Q + COC + AMS	1 qt / 4 oz + 1% + 2 lbs	90 b	99 a	99 a	93 ab	90 a	99 a	99 a	98 a	89 b	99 a	99 a	98 a	0 a	99 a	96 ab	95 a	227 a
Breakfree / Realm Q + COC + AMS	1.5 pt / 4 oz + 1% + 2 lbs	94 a	99 a	99 a	97 a	93 a	99 a	99 a	98 a	97 a	99 a	99 a	98 a	0 a	97 a	98 ab	96 a	229 a
POST (3-collar corn)																		
Realm Q + COC + AMS	4  oz + 1% + 2  lbs	0 c	89 c	95 c	88 c	0 b	88 b	99 b	98 a	0 c	88 b	99 b	97 b	0 a	78 bc	73 d	78 c	228 a
Realm Q	4 oz	0 c	97 a	99 a	91 bc	0 b	97 a	99 a	98 a	0 c	98 a	99 a	98 a	0 a	83 b	95 b	97 a	231 a
+ Abundit + AMS	+ 32  oz + 2  lbs																	
Realm Q	4 oz	0 c	91 bc	91 d	79 d	0 b	98 a	99 a	98 a	0 c	98 a	99 a	98 a	0 a	97 a	97 ab	98 a	223 a
+ Ignite + AMS	+ 22 oz + 2 lbs																	
Realm Q	4 oz	0 c	93 b	96 bc	92 bc	0 b	98 a	99 a	98 a	0 c	98 a	99 a	98 a	0 a	99 a	99 a	97 a	227 a
+ Aatrex + COC + AMS	+ 1 pt + 1% + 2 lbs																	
Steadfast Q	1.5 oz	0 c	90 c	98 ab	89 bc	0 b	88 b	99 a	98 a	0 c	89 b	99 a	98 a	0 a	76 c	81 c	83 b	225 a
+ mesotrione + COC +AMS	+ 2.5 oz + 1% + 2 lbs																	
<u>Checks</u>																		
Weedy check	-	0 c	0 d	0 e	0 e	0 b	0 c	0 c	0 b	0 c	0 c	0 c	0 c	0 a	0 d	0 e	0 d	175 b
	LSD (0.10)	1.1	3.1	2.3	5.2	3.9	2.7	0.2	ns	3.2	3.0	0.2	0.6	ns	5.1	3.3	4.7	11.8

<sup>&</sup>lt;sup>a</sup> COC = crop oil concentrate; AMS = spray grade ammonium sulfate.
<sup>b</sup> Yield adjusted to 15.5% moisture.